

11/3,AB,K/51 (Item 32 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00905268

A system, method and article of manufacture for a distributed computer system framework

System, Verfahren und hergestellter Gegenstand eines verteilten Rechnersystemrahmenwerks

Système orienté objet, procede, et article de fabrication pour le cadre d'un système d'ordinateur distribue

PATENT ASSIGNEE:

SUN MICROSYSTEMS, INC., (1392732), 2550 Garcia Avenue, Mountain View, California 94043-1100, (US), (applicant designated states:

AT;BE;CH;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)

INVENTOR:

Gish, Sherri L., 822 DeVoto Street, Mountain View, California 94043, (US)

LEGAL REPRESENTATIVE:

Browne, Robin Forsythe, Dr. (55142), Urquhart-Dykes & Lord Tower House Merrion Way, Leeds LS2 8PA, (GB)

PATENT (CC, No, Kind, Date): EP 827074 A2 980304 (Basic)

APPLICATION (CC, No, Date): EP 97110841 970701;

PRIORITY (CC, No, Date): US 675262 960701

DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE

INTERNATIONAL PATENT CLASS: G06F-009/46;

ABSTRACT EP 827074 A2

An interprise computing manager provides coordination between application programs by having each server program controlling the client executable program. In this manner, each client program communicates from the client to the server using a predefined protocol. A distributed computer system is disclosed with software for a client computer, a server computer and a network for connecting the client computer to the server computer which utilize an execution framework code segment configured to couple the server computer and the client computer via the network, by a plurality of client computer code segments resident on the server, each for transmission over the network to a client computer to initiate coupling; and a plurality of server computer code segments resident on the server which execute on the server in response to initiation of coupling via the network with a particular client utilizing the transmitted client computer code segment for communicating via a particular communication protocol.

ABSTRACT WORD COUNT: 153

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9810	890
SPEC A	(English)	9810	22727
Total word count - document A			23617
Total word count - document B			0
Total word count - documents A + B			23617

...SPECIFICATION access to and transmission of messages over the web from the server 1180 via the **access** module 1108 and the PE framework 1104 as discussed earlier and reiterated below.

Figure 12...

...described in Figures 10 and 11. However, web contact is established between the nodes by **authenticating** a user utilizing the Access Layer 1280 to establish client 1200 - server 1210 communication. Then...

...and Network Support 1340 to a Client 1330 utilizing a predefined data stream 1350 and **application** code 1320 and a DBMS 1310. The loosely coupled nature of the application architecture is...

...controlling both the Client 1330 and Server 1300 states. The Java

language is utilized **communicate** via the Web technologies in an **Internet** , Intranet or other **network** environment to distribute Client 1330 state information to the Client node. The Server 1300 presents an encapsulated DBMS interface to the **network** . The **Server** 1300 node is extended by a framework to support the establishment of a Client 1330 - **Server** 1300 relationship for web nodes.

The Client 1330 - **Server** 1300 relationship for web nodes is established utilizing a secure http **process** which **authenticates** the user at the requesting node. Then, the Client 1330 node is established by selecting an appropriate Client 1330 state from stored states at the **Server** , and the Java client state is downloaded over the **network** to the particular Client 1330 node. Next, the Client 1330 - Server 1300 **network communication** session is commenced by starting the server **process** and establishing a socket connection to the Client 1330 node. Once the session is established...

11/3,AB,K/52 (Item 33 from file: 348)
DIALOG(R) File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00905267

Object-oriented system, method and article of manufacture for a client-server-centric enterprise computing framework system
Objektorientiertes System, Verfahren und hergestellter Gegenstand fur ein Client-Server-orientiertes Unternehmens-Datenverarbeitungsrahmenwerkssystem

Système orienté objet, procédé et article de fabrication dans le cadre d'un système d'objets informatiques d'entreprise basé sur la philosophie client-serveur

PATENT ASSIGNEE:

SUN MICROSYSTEMS, INC., (1392732), 2550 Garcia Avenue, Mountain View, California 94043-1100, (US), (applicant designated states:
AT;BE;CH;DE;DK;ES;FI;FR;GB;GR;IE;IT;LI;LU;MC;NL;PT;SE)

INVENTOR:

Gish, Sherri L., 822 DeVoto Street, Mountain View, California 94043, (US)

LEGAL REPRESENTATIVE:

Browne, Robin Forsythe, Dr. (55142), Urquhart-Dykes & Lord Tower House
Merrion Way, Leeds LS2 8PA, (GB)

PATENT (CC, No, Kind, Date): EP 827073 A2 980304 (Basic)

APPLICATION (CC, No, Date): EP 97110832 970701;

PRIORITY (CC, No, Date): US 673946 960701

DESIGNATED STATES: AT; BE; CH; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU;
MC; NL; PT; SE

INTERNATIONAL PATENT CLASS: G06F-009/46; G06F-009/44;

ABSTRACT EP 827073 A2

An object-oriented enterprise computing manager provides coordination between application programs by having each server program controlling the client executable program. In this manner, each client program communicates from the client to the server using a predefined protocol. A distributed computer system is disclosed with software for a client computer, a server computer and a network for connecting the client computer to the server computer which utilize an execution framework code segment configured to couple the server computer and the client computer via the network, by a plurality of client computer code segments resident on the server, each for transmission over the network to a client computer to initiate coupling; and a plurality of server computer code segments resident on the server which execute on the server in response to initiation of coupling via the network with a particular client utilizing the transmitted client computer code segment for communicating via a particular communication protocol.

ABSTRACT WORD COUNT: 154

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9810	1301
SPEC A	(English)	9810	22733
Total word count - document A			24034

Total word count - document B 0
Total word count - documents A + B 24034

...SPECIFICATION access to and transmission of messages over the web from the server 1180 via the **access** module 1108 and the PE framework 1104 as discussed earlier and reiterated below.

Figure 12...

...described in Figures 10 and 11. However, web contact is established between the nodes by **authenticating** a user utilizing the Access Layer 1280 to establish client 1200 - server 1210 communication. Then...

...and Network Support 1340 to a Client 1330 utilizing a predefined data stream 1350 and **application** code 1320 and a DBMS 1310. The loosely coupled nature of the application architecture is...

...controlling both the Client 1330 and Server 1300 states. The Java language is utilized to **communicate** via the Web technologies in an **Internet**, Intranet or other **network** environment to distribute Client 1330 state information to the Client node. The Server 1300 presents an encapsulated DBMS interface to the **network**. The **Server** 1300 node is extended by a framework to support the establishment of a Client 1330 - **Server** 1300 relationship for web nodes.

The Client 1330 - **Server** 1300 relationship for web nodes is established utilizing a secure http **process** which **authenticates** the user at the requesting node. Then, the Client 1330 node is established by selecting an appropriate Client 1330 state from stored states at the **Server**, and the Java client state is downloaded over the **network** to the particular Client 1330 node. Next, the Client 1330 - Server 1300 **network communication** session is commenced by starting the server **process** and establishing a socket connection to the Client 1330 node. Once the session is established...

11/3,AB,K/53 (Item 34 from file: 348)
DIALOG(R) File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00903547

Circuit and method for controlling electric appliances

Schaltungsanordnung und Verfahren zur Steuerung elektrischer Hausgerate

Circuit et methode pour controler des appareils electriques domestiques

PATENT ASSIGNEE:

BSH Bosch und Siemens Hausgerate GmbH, (216874), Hochstrasse 17, 81669
Munchen, (DE), (Proprietor designated states: all)

INVENTOR:

Muhlberg, Bernhard, Dipl.-Ing., Sponholzstrasse 34, 12159 Berlin, (DE)
Hoch, Peter, Dipl.-Ing., Katharinenstrasse 17, 14169 Berlin, (DE)
Liese, Frank, Dr. rer. nat., Winterfeldtstrasse 47, 10781 Berlin, (DE)
Dittmer, Michael, Geisslerpfad 29, 13627 Berlin, (DE)
Kabel, Clemens, Dipl.Inform., Bergengruenstrasse 60, 14129 Berlin, (DE)
Meyer, Hans-Holger, Dipl.-Ing., Greizer Strasse 3, 12689 Berlin, (DE)

PATENT (CC, No, Kind, Date): EP 825740 A2 980225 (Basic)

EP 825740 A3 980304

EP 825740 B1 020502

APPLICATION (CC, No, Date): EP 97113682 970807;

PRIORITY (CC, No, Date): DE 19634165 960823

DESIGNATED STATES: AT; CH; DE; ES; FR; GB; IT; LI; NL; SE

INTERNATIONAL PATENT CLASS: H04L-012/28; G05B-019/042

ABSTRACT EP 825740 A2 (Translated)

Control circuit for domestic electrical appliances

The control circuit has a central processor (CC) coupled to an optical display (MON) and to a number of domestic appliances (2) with different functions. The central processor uses a control programme with two sections.

One section allows data transfer between the central processor and the appliances and the other processes the data by each appliance, dependant on its function. The optical display can be controlled by the central processor for displaying masks corresponding to the execution of the

ABSTRACT EP 825740 A3

Die Erfindung betrifft eine Schaltungsanordnung zur Steuerung elektrischer Hausgeräte. Die Schaltungsanordnung weist einen zentralen Rechner (CC) auf, der mit einer optischen Anzeigeeinrichtung (MON) und mit den Hausgeräten (2) unterschiedlicher Funktionalität verbindbar ist. Dem zentralen Rechner (CC) ist ein Steuerungsprogramm zugeordnet, das einen ersten Programnteil aufweist, mit dem die Übertragung von Daten zwischen zentralem Rechner (CC) und Hausgeräten (2) durchgeführt wird, und weiterhin mindestens einen zweiten Programnteil, mit dem Daten verarbeitet werden, auf deren Grundlage unterschiedliche Funktionen durch mindestens ein Hausgerät (2) realisiert werden.

ABSTRACT WORD COUNT: 84

NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): German; German; German

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(German)	199809	980
CLAIMS B	(English)	200218	1092
CLAIMS B	(German)	200218	906
CLAIMS B	(French)	200218	1074
SPEC A	(German)	199809	2080
SPEC B	(German)	200218	2133
Total word count - document A			3061
Total word count - document B			5205
Total word count - documents A + B			8266

...CLAIMS program which comprises a first program part by which the transfer of data between central **computer** (CC) and domestic appliances (2) is undertaken, characterised in that the control program associated with the **central computer** (CC) comprises, **apart** from the first program part, at least one second program part by which data is **processed** on the basis of which different functions are realised by at least one domestic appliance...

...part are actualised triggered by a first item of information which is fed to the **central computer** (CC) and denotes the **connection** of a domestic appliance to the circuit arrangement and a second item of information which **identifies** the domestic appliance.

2. Circuit arrangement according to claim 1, characterised in that the control program associated with the **central computer** (CC) comprises a third program part by which data are **processed** on the basis of which a user prompt is realised.
3. Circuit arrangement according to...

11/3,AB,K/54 (Item 35 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2004 European Patent Office. All rts. reserv.

00901999

A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR NETWORK ELECTRONIC AUTHORIZATION UTILIZING AN AUTHORIZATION INSTRUMENT
EIN SYSTEM UND VERFAHREN ZUM EINRICHTEN VON ELEKTRONISCHEM BEZAHLEN UND KREDITEINZUG UBER EIN NETZWERK UNTER VERWENDUNG EINES ZAHLUNGSMITTELHALTERS
SYSTEME, PROCEDE ET ARTICLE FABRIQUE POUR AUTORISATION ELECTRONIQUE SUR RESEAU AU MOYEN D'UN INSTRUMENT D'AUTORISATION
PATENT ASSIGNEE:

Hewlett-Packard Company, (3133023), P.O. Box 272400, Fort Collins, CO 80527-2400, (US), (Proprietor designated states: all)

INVENTOR:

WILLIAMS, Humphrey, 857 San Judeane, Palo Alto, CA 94306, (US)
HUGHES, Kevin, 33 Lyonridge Lane, San Mateo, CA 94402, (US)
PARMAR, Bipinkumar, G., 10554 Orange Tree Lane, Cupertino, CA 95014, (US)

LEGAL REPRESENTATIVE:

Garratt, Peter Douglas et al (43121), Mathys & Squire 100 Grays Inn Road,
London WC1X 8AL, (GB)

PATENT (CC, No, Kind, Date): EP 901672 A1 990317 (Basic)
EP 901672 B1 031112
WO 97041540 971106

APPLICATION (CC, No, Date): EP 97922458 970424; WO 97US6938 970424

PRIORITY (CC, No, Date): US 638355 960426; US 641992 960426

DESIGNATED STATES: DE; FR; GB; IE

INTERNATIONAL PATENT CLASS: G07F-007/10

NOTE:

No A-document published by EPO

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200346	856
CLAIMS B	(German)	200346	776
CLAIMS B	(French)	200346	926
SPEC B	(English)	200346	14919
Total word count - document A			0
Total word count - document B			17477
Total word count - documents A + B			17477

?



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[((authentication) AND (center or central or base)) <IN> (title, abstract, review)<AND>(meta_published_date <= 11-01-1999)]**
Found **13** of **127,944** searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score**



Results 1 - 13 of 13 **short listing**

1 A software authentication system for the prevention of computer viruses 85%



Lein Harn , Hung-Yu Lin , Shoubao Yang

Proceedings of the 1992 ACM annual conference on Communications April 1992

In the absence of systematic techniques to detect the existence of computer viruses, preventing suspicious software from entering the system at the initial point of entry appears to be the best method to protect computing resources against attacks of computer viruses. Currently, software is distributed primarily by diskettes instead of online transmission. Diskettes are more susceptible to modification and masquerading while on-line transmission usually follows proper user/message authentic ...

2 Session II - recovery, concurrency and protection: An authorization 84%



mechanism for a relational data base system

P. P. Griffiths , B. W. Wade

Proceedings of the 1976 ACM SIGMOD international conference on Management of data June 1976

A multi-user data base system must permit users to selectively share data, while retaining the ability to restrict data access. There must be a mechanism to provide protection and security, permitting information to be accessed only by properly authorized users. Further, when tables or restricted views of tables are created and destroyed dynamically, the granting, authentication, and revocation of authorization to use them must also be dynamic. We discuss each of these issues and their solutions ...

3 The RiverWeb Toolsuite™: bridging the gap between high-end 84%



environmental science and the classroom
David Curtis , Edna E. Gentry , Steven I. Gordon , Susan Ragan , Erich Schroeder , Lisa Bievenue , David Emigh , Mary Ellen Verona

Proceedings of the 1998 ACM/IEEE conference on Supercomputing (CDROM)
November 1998

The National Computational Science Alliance's Education and Outreach Team (EOT) is

working with the Alliance's Environmental Hydrology Applications Technology Team (EH-AT) to make information technologies for watershed monitoring, system modeling, simulation, and data visualization and analysis accessible to educational communities and the public at large. The broad vision here is promote the education of 21st century citizens to participate actively in science-based informed debate and policy-ma ...

4 A user authentication scheme not requiring secrecy in the computer 84%



Arthur Evans , Edwin Weiss

Communications of the ACM August 1974

Volume 17 Issue 8

In many computer operating systems a user authenticates himself by entering a secret password known solely to himself and the system. The system compares this password with one recorded in a Password Table which is available to only the authentication program. The integrity of the system depends on keeping the table secret. In this paper a password scheme is presented which does not require secrecy in the computer. All aspects of the system, including all relevant code and ...

5 Directions in computer security 82%



Anne-Marie G. Claybrook

Proceedings of the 1983 annual conference on Computers : Extending the human resource January 1983

One of the primary thrusts in operating system security has come from the Department of Defense (DoD), which early recognized the need for security controls in open use, multi-user, resource-shared computer systems.1 Two features in particular, mandatory access controls and security kernel technology, have been strongly promoted by the DoD. Mandatory access controls, necessary to support a security policy that cannot be circumvented by any user (in DoD's case, the natio ...

6 Polynomial algorithms for multiple processor agreement 82%



Danny Dolev , H. Raymond Strong

Proceedings of the fourteenth annual ACM symposium on Theory of computing

May 1982

Reaching agreement in a distributed system while handling malfunctioning behavior is a central issue for reliable computer systems. All previous algorithms for reaching the agreement required an exponential number of messages to be sent, with or without authentication. We give polynomial algorithms for reaching (Byzantine) agreement, both with and without the use of authentication protocols. We also prove that no matter what kind of information is exchanged, there is no way to reach agreeme ...

7 The KryptoKnight family of light-weight protocols for authentication and key distribution 82%



Ray Bird , Inder Gopal , Amir Herzberg , Phil Janson , Shay Kutten , Refik Molva , Moti Yung

IEEE/ACM Transactions on Networking (TON) February 1995

Volume 3 Issue 1

8 Simulation via implementation with applications in computer communication 80%



Kenneth Brayer , Valerie Lafleur , Gary Simpson

Proceedings of the fifteenth annual simulation symposium March 1982

The traditional approach to performing discrete digital simulation has been one of developing a mathematical or statistical model to represent a process, programming

this model on a large scale computer, and then executing the model to obtain performance results. In this study, the authors have developed a simulation of a computer communication network by simulating the users in a central computer and implementing the remainder of the network in actual network processors. This allows for au ...

9 Protection

80%



R. Stockton Gaines

ACM SIGOPS Operating Systems Review , Proceedings of the 1975 ACM SIGCOMM/SIGOPS workshop on Interprocess communications January 1975
Volume 9 Issue 3

The discussion during this session primarily centered around the paper "On Data Secure Computer Networks" by G.J. Popek. Popek suggested that the main security problems in computer networks involved the security of the host computers in the network and that techniques for securing general communications networks are satisfactory for dealing with the communication aspects of computer networks. The main problems which need to be addressed are the problems of authenticating process ...

10 The campaign for an ethical Internet

80%



Jenny Shearer

ACM SIGCAS Computers and Society , Proceedings of the ethics and social impact component on Shaping policy in the information age June 1998
Volume 28 Issue 2

The fostering of an Internet societal infrastructure which is consciously ethical, is needed to curtail the new era of global irresponsibility that is at hand. The positive view advanced is contrasted with a scenario of the silencing of a moral Internet community using regulatory constraints, an extension of broadcast techniques, "brain-free" hardware, and control by multi-national corporations. This positive scenario is dependent on the evolution of a moral and responsible Internet global citizen ...

11 A problem-based interface design and programming course

80%



Judy Kay , Bob Kummerfeld

ACM SIGCSE Bulletin , Proceedings of the twenty-ninth SIGCSE technical symposium on Computer science education March 1998
Volume 30 Issue 1

This paper describes a course that addresses two important issues: introducing interface design and programming at the same time as helping students develop life-long learning skills. Many computer science programmes could well be based on the assumption that the computing world is still oriented towards batch processing. Yet, interactive systems are central to information technology and the interface to a system is very important. Our course introduces students to this area. At the same time, ...

12 IP next generation overview

80%



Robert M. Hinden

Communications of the ACM June 1996
Volume 39 Issue 6

13 The implementation of guaranteed, reliable, secure broadcast networks

80%



Lawrence C. N. Tseung , Keh-Chiang Yu

Proceedings of the 1990 ACM annual conference on Cooperation January 1990

This paper depicts a conceptually simple and easy to implement protocol that provides reliable and secure broadcast/multicast communication. The methodology used in this

protocol is surprisingly simple. Three logical nodes are enforced in the network - a Central Retransmitter, a Designated Acknowledger, and a (many when needed) Playback Recorder(s). Through the coordinated service of the three nodes, every user node can be guaranteed to receive all broadcast messages in the correct temporal ...

Results 1 - 13 of 13 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



IEEE Xplore®
1 Million Documents
1 Million Users

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Sea

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **29** of **1012223** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

((<stem>authentic) <or> (<stem>confirm) <or> (<stem>

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

1 Interconnection Protocols for Interorganization Networks

Estrin, D.;

Selected Areas in Communications, IEEE Journal on , Volume: 5 , Issue: 9 , D 1987

Pages:1480 - 1491

[\[Abstract\]](#) [\[PDF Full-Text \(1496 KB\)\]](#) IEEE JNL

2 The VersaKey framework: versatile group key management

Waldvogel, M.; Caronni, G.; Dan Sun; Weiler, N.; Plattner, B.;

Selected Areas in Communications, IEEE Journal on , Volume: 17 , Issue: 9 , 1999

Pages:1614 - 1631

[\[Abstract\]](#) [\[PDF Full-Text \(396 KB\)\]](#) IEEE JNL

3 X.500 and LDAP security: a comparative overview

Hassler, V.;

Network, IEEE , Volume: 13 , Issue: 6 , Nov.-Dec. 1999

Pages:54 - 64

[\[Abstract\]](#) [\[PDF Full-Text \(1112 KB\)\]](#) IEEE JNL

4 Secure remote access to an Internet Web server

Gilmore, C.; Kormann, D.; Rubin, A.D.;

Network, IEEE , Volume: 13 , Issue: 6 , Nov.-Dec. 1999

Pages:31 - 37

[\[Abstract\]](#) [\[PDF Full-Text \(624 KB\)\]](#) IEEE JNL

5 AAA protocols: authentication, authorization, and accounting for the Internet

Metz, C.;

Internet Computing, IEEE , Volume: 3 , Issue: 6 , Nov.-Dec. 1999

Pages:75 - 79

[\[Abstract\]](#) [\[PDF Full-Text \(264 KB\)\]](#) IEEE JNL

6 Hybrid nonlinear moments subspace processing for wireless communication systems using antenna arrays

Martone, M.;

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Sign Processing, IEEE Transactions on] , Volume: 47 , Issue: 5 , May 1999

Pages:1434 - 1441

[\[Abstract\]](#) [\[PDF Full-Text \(436 KB\)\]](#) IEEE JNL

7 The quasi-random input queueing system with repeated attempts as model for a collision-avoidance star local area network

Janssens, G.K.;

Communications, IEEE Transactions on , Volume: 45 , Issue: 3 , March 1997

Pages:360 - 364

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) IEEE JNL

8 Fast checking of individual certificate revocation on small systems

Russell, S.;

Computer Security Applications Conference, 1999. (ACSAC '99) Proceedings. Annual , 6-10 Dec. 1999

Pages:249 - 255

[\[Abstract\]](#) [\[PDF Full-Text \(88 KB\)\]](#) IEEE CNF

9 User-friendly access control for public network ports

Appenzeller, G.; Roussopoulos, M.; Baker, M.;

INFOCOM '99. Eighteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE , Volume: 2 , 21-25 March 1999

Pages:699 - 707 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(888 KB\)\]](#) IEEE CNF

10 A neuro-fuzzy system for prediction of pulp digester K-number

Musavi, M.T.; Domnisoru, C.; Smith, G.; Coughlin, D.R.; Gould, A.L.;

Neural Networks, 1999. IJCNN '99. International Joint Conference on , Volume 6 , 10-16 July 1999

Pages:4253 - 4258 vol.6

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) IEEE CNF

11 Issues in the design of secure authorization service for distributed applications

Varadharajan, V.; Crall, C.; Pato, J.;

Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to G
Integration. IEEE , Volume: 2 , 8-12 Nov. 1998
Pages:874 - 879 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) [IEEE CNF](#)

12 An approach to designing security model for mobile agent based systems

Varadharajan, V.; Kumar, N.; Mu, Y.;

Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to G
Integration. IEEE , Volume: 3 , 8-12 Nov. 1998
Pages:1600 - 1606 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) [IEEE CNF](#)

13 DPAP: a dynamic polling based access protocol for wireless network

Alwakeel, S.S.; Al-Fawaz, M.M.;

Personal, Indoor and Mobile Radio Communications, 1998. The Ninth IEEE
International Symposium on , Volume: 3 , 8-11 Sept. 1998
Pages:1126 - 1130 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(488 KB\)\]](#) [IEEE CNF](#)

14 Development of an intranet security infrastructure and its applicati
Yung-Kao Hsu;

Enabling Technologies: Infrastructure for Collaborative Enterprises, 1998. (WE
ICE '98) Proceedings., Seventh IEEE International Workshops on , 17-19 June

Pages:334 - 339

[\[Abstract\]](#) [\[PDF Full-Text \(48 KB\)\]](#) [IEEE CNF](#)

15 Dynamic authentication for high-performance networked applicatio

Schneck, P.A.; Schwan, K.;

Quality of Service, 1998. (IWQoS 98) 1998 Sixth International Workshop on ,
20 May 1998

Pages:127 - 136

[\[Abstract\]](#) [\[PDF Full-Text \(1212 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Sea

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **29** of **1012223** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

16 **Designing a distributed authorization service**

Woo, T.Y.C.; Lam, S.S.;

INFOCOM '98. Seventeenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE, Volume: 2, 29 March-2 April 1998. Pages:419 - 429 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(1116 KB\)\]](#) IEEE CNF

17 **An implementation of MLS on a network of workstations using X.500/509**

Davis, J.; Jacobson, D.; Bridges, S.; Wright, K.;

Performance, Computing, and Communications Conference, 1997. IPCCC 1997. IEEE International, 5-7 Feb. 1997. Pages:546 - 553

[\[Abstract\]](#) [\[PDF Full-Text \(564 KB\)\]](#) IEEE CNF

18 **One application of neural networks for detection of defects using v data bases: identification of road distresses**

Meignen, D.; Bernadet, M.; Briand, H.;

Database and Expert Systems Applications, 1997. Proceedings., Eighth International Workshop on, 1-2 Sept. 1997. Pages:459 - 464

[\[Abstract\]](#) [\[PDF Full-Text \(700 KB\)\]](#) IEEE CNF

19 **IAuth: An authentication system for Internet applications**

Suan-Suan Chew; Kok-Leong Ng; Chye-Lin Chee;

Computer Software and Applications Conference, 1997. COMPSAC '97.

Proceedings., The Twenty-First Annual International , 13-15 Aug. 1997
Pages:654 - 659

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) IEEE CNF

20 Microcell automatic propagation measuring system with cell-site management database access and service-area evaluation

Suwa, K.; Ichitsubo, S.; Oyoshi, T.; Kawasaki, R.;

Personal, Indoor and Mobile Radio Communications, 1997. 'Waves of the Year 2000'. PIMRC '97., The 8th IEEE International Symposium on , Volume: 3 , 1-Sept. 1997

Pages:1130 - 1134 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(576 KB\)\]](#) IEEE CNF

21 A method of reconfiguration for multiple paths based on self-routin CDMA mobile communication network

Byeong-Cheol Choi; Youn-Kwae Jeong; Chang-Soo Sone; Byeong-Nam Yoon;

Circuits and Systems, 1996., IEEE Asia Pacific Conference on , 18-21 Nov. 1996
Pages:346 - 349

[\[Abstract\]](#) [\[PDF Full-Text \(432 KB\)\]](#) IEEE CNF

22 New developments and applications of self-organizing maps

Kohonen, T.;

Neural Networks for Identification, Control, Robotics, and Signal/Image Proce 1996. Proceedings., International Workshop on , 21-23 Aug. 1996

Pages:164 - 172

[\[Abstract\]](#) [\[PDF Full-Text \(600 KB\)\]](#) IEEE CNF

23 Command center security-proving software correct

Hammonds, G.L.; Lichota, R.W.; Hird, G.; Wool, J.;

Computer Assurance, 1995. COMPASS '95. 'Systems Integrity, Software Safet Process Security'. Proceedings of the Tenth Annual Conference on , 25-29 Jun 1995

Pages:163 - 173

[\[Abstract\]](#) [\[PDF Full-Text \(944 KB\)\]](#) IEEE CNF

24 Y-Architecture for the integration of autonomous components

Popescu-Zeletin, R.; Tschammer, V.; Tschichholz, M.;

Autonomous Decentralized Systems, 1993. Proceedings. ISADS 93., Internati Symposium on , 30 March-1 April 1993

Pages:21 - 27

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) IEEE CNF

25 Proxy-based authorization and accounting for distributed systems

Neuman, B.C.;

Distributed Computing Systems, 1993., Proceedings the 13th International Conference on , 25-28 May 1993

Pages:283 - 291

[\[Abstract\]](#) [\[PDF Full-Text \(776 KB\)\]](#) IEEE CNF

26 Neural networks for the identification of linear dynamical model of five story building

Elkordy, M.; Ghanem, R.; Lee, G.C.;

Uncertainty Modeling and Analysis, 1993. Proceedings., Second International Symposium on , 25-28 April 1993

Pages:98 - 103

[\[Abstract\]](#) [\[PDF Full-Text \(452 KB\)\]](#) IEEE CNF

27 Latest trends of rural communication in developing countries

Rao, Y.R.;

Wireless Communications, 1992. Conference Proceedings., 1992 IEEE International Conference on Selected Topics in , 25-26 June 1992

Pages:257 - 261

[\[Abstract\]](#) [\[PDF Full-Text \(348 KB\)\]](#) IEEE CNF

28 Performance analysis of mobile radio carrier sense multiple access

Murata, Y.;

Vehicular Technology Conference, 1988 IEEE 38th , 15-17 June 1988

Pages:344 - 350

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) IEEE CNF

29 Genetic algorithm for identifying self-generating radial basis neural networks

Enab, Y.M.;

Artificial Neural Networks, 1995., Fourth International Conference on , 26-28 1995

Pages:65 - 70

[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) IEEE CNF

[Prev](#) [1](#) [2](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved